

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 03/09/2017 Revision date: 03/21/2017 Supersedes: 03/16/2017

Version: 2.2

# **SECTION 1: Identification**

1.1. Identification

Product form : Mixture
Trade name : CD-76
Product code : 0300

1.2. Recommended use and restrictions on use

Recommended use : Surface cleaning

1.3. Supplier

Synthetic Labs 24 Victory Lane

Dracut, MA 01826 - United States T 800.255.4050 - F 978.957.5122

www.syntecpro.com

1.4. Emergency telephone number

Emergency number : Infotrac 24 Hour Medical Emergency Number: 1-800-535-5053

# SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A

Causes skin irritation
Causes serious eye irritation

## 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : Causes skin irritation

Causes serious eye irritation

Precautionary statements (GHS US) : Wash hands, forearms and face thoroughly after handling.

Wear eye protection, protective gloves. If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.

### 2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

# **SECTION 3: Composition/Information on ingredients**

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Tetrasodium ethylenediaminetetraacetate	(CAS-No.) 64-02-8	5 – 10	Eye Dam. 1, H318
Dipropylene Glycol Monoethyl Ether	(CAS-No.) 34590-94-8	1 – 5	Flam. Liq. 4, H227

07/14/2020 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Sodium Silica Salts	(CAS-No.) 1344-09-8	1 – 5	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Ethylene Glycol Monobutyl Ether	(CAS-No.) 111-76-2	1 – 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of hazard classes and H-statements : see section 16

# **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

# SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

## 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

## 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

## 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

# 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

# 6.4. Reference to other sections

For further information refer to section 13.

07/14/2020 EN (English US) 2/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

CD-76		
No additional information available		
Tetrasodium ethylenediaminetetraacetate (64-02-8)		
No additional information available		
Ethylene Glycol Monobutyl Ether (111-76-2)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (ppm)	20 ppm	
Dipropylene Glycol Monoethyl Ether (34590-94-8)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (ppm)	100 ppm	
ACGIH STEL (ppm)	150 ppm	
USA - OSHA - Occupational Exposure Limits		
Local name	Dipropylene glycol methyl ether	
OSHA PEL (TWA) (mg/m³)	600 mg/m³	
OSHA PEL (TWA) (ppm)	100 ppm	
Sodium Silica Salts (1344-09-8)		
No additional information available		

# 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

# 8.3. Individual protection measures/Personal protective equipment

# Hand protection:

Protective gloves

# Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

## Personal protective equipment symbol(s):



07/14/2020 EN (English US) 3/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Color : Green
Odor : odorless

Odor threshold : No data available

рΗ 11.5 pH solution : 11 – 12 Melting point Not applicable : No data available Freezing point : No data available **Boiling point** Flash point No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density No data available Specific gravity / density : 1.03 g/m<sup>3</sup> Molecular mass : 1.03 g/mol Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : No data available No data available Viscosity, dynamic **Explosion limits** : No data available : No data available Explosive properties

# 9.2. Other information

Oxidizing properties

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: No data available

# SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified

07/14/2020 EN (English US) 4/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity (inhalation) : Not classified

LD50 oral rat	> 2000 mg/kg (Rat, Oral)
Ethylene Glycol Monobutyl Ether (111-76-2)	
LD50 oral rat	1746 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (ppm)	450 ppm (Equivalent or similar to OECD 403, 4 h, Rat, Female, Experimental value, Inhalation (vapours))
Dipropylene Glycol Monoethyl Ether (34590	-94-8)
LD50 oral rat	> 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	9510 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimenta value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	> 1.67 mg/l air (Equivalent or similar to OECD 403, 7 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
Sodium Silica Salts (1344-09-8)	
LD50 oral rat	> 2000 mg/kg (Rat, Oral)
kin corrosion/irritation	: Causes skin irritation.
	pH: 11.5
erious eye damage/irritation	: Causes serious eye irritation.
	pH: 11.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
eproductive toxicity	: Not classified
specific target organ toxicity – single exposure	: Not classified
pecific target organ toxicity – repeated xposure	: Not classified
spiration hazard	: Not classified
iscosity, kinematic	: No data available
ymptoms/effects after skin contact	: Burns.
symptoms/effects after eye contact	: Serious damage to eyes.
symptoms/effects after ingestion	: Burns.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Tetrasodium ethylenediaminetetraacetate (64-02-8)		
LC50 fish 1	121 mg/l (96 h, Lepomis macrochirus, Literature study, Soft water)	
EC50 Daphnia 1	625 mg/l (24 h, Daphnia magna, Literature study)	
Ethylene Glycol Monobutyl Ether (111-76-2)		
LC50 fish 1	1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 Daphnia 1	1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)	
Dipropylene Glycol Monoethyl Ether (34590-94-8)		
LC50 fish 1	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Poecilia reticulata, Static system, Fresh water, Experimental value, GLP)	

07/14/2020 EN (English US) 5/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dipropylene Glycol Monoethyl Ether (34590-94-8)		
ErC50 (algae)	> 969 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	
Sodium Silica Salts (1344-09-8)		
LC50 fish 1	3185 mg/l (96 h, Brachydanio rerio, Pure substance)	
EC50 Daphnia 1	216 mg/l (96 h, Daphnia magna, Pure substance)	
EC50 Daphnia 2	160 mg/l (96 h, Amphipoda, Pure substance)	

# 12.2. Persistence and degradability

T-4	M 00 0)		
Tetrasodium ethylenediaminetetraacetate (	4-02-8)		
Persistence and degradability	Not readily biodegradable in water.		
Biochemical oxygen demand (BOD)	< 0.002 g O <sub>2</sub> /g substance		
Chemical oxygen demand (COD)	$0.54 - 0.58$ g $O_2$ /g substance		
Ethylene Glycol Monobutyl Ether (111-76-2)	Ethylene Glycol Monobutyl Ether (111-76-2)		
Persistence and degradability	Readily biodegradable in water.		
Dipropylene Glycol Monoethyl Ether (34590-94-8)			
Persistence and degradability	Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	0 g O <sub>2</sub> /g substance		
ThOD	2.06 g O <sub>2</sub> /g substance		
BOD (% of ThOD)	0		
Sodium Silica Salts (1344-09-8)			
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
BOD (% of ThOD)	Not applicable		

# 12.3. Bioaccumulative potential

Tetrasodium ethylenediaminetetraacetate (64-02-8)		
Partition coefficient n-octanol/water (Log Pow)	-2.6	
Bioaccumulative potential	Not bioaccumulative.	
Ethylene Glycol Monobutyl Ether (111-76-2)		
Partition coefficient n-octanol/water (Log Pow)	0.81 (Test data, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Dipropylene Glycol Monoethyl Ether (34590-94-8)		
Partition coefficient n-octanol/water (Log Pow)	0.004 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Sodium Silica Salts (1344-09-8)		
Bioaccumulative potential	Not bioaccumulative.	

# 12.4. Mobility in soil

Ethylene Glycol Monobutyl Ether (111-76-2)		
Surface tension	65.03 mN/m (20 °C, 2 g/l)	
Ecology - soil	Low potential for adsorption in soil.	
Dipropylene Glycol Monoethyl Ether (34590-94-8)		
Surface tension	68.7 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)	
Ecology - soil	No (test)data on mobility of the substance available.	
Sodium Silica Salts (1344-09-8)		
Ecology - soil	No (test)data on mobility of the components available.	

# 12.5. Other adverse effects

No additional information available

07/14/2020 EN (English US) 6/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT

Not applicable

## **Transportation of Dangerous Goods**

Not applicable

#### Transport by sea

Not applicable

## Air transport

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

## Tetrasodium ethylenediaminetetraacetate (64-02-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## Ethylene Glycol Monobutyl Ether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## Dipropylene Glycol Monoethyl Ether (34590-94-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# Sodium Silica Salts (1344-09-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## 15.2. International regulations

#### CANADA

# Tetrasodium ethylenediaminetetraacetate (64-02-8)

Listed on the Canadian DSL (Domestic Substances List)

# Ethylene Glycol Monobutyl Ether (111-76-2)

Listed on the Canadian DSL (Domestic Substances List)

## Dipropylene Glycol Monoethyl Ether (34590-94-8)

Listed on the Canadian DSL (Domestic Substances List)

#### Sodium Silica Salts (1344-09-8)

Listed on the Canadian DSL (Domestic Substances List)

## **EU-Regulations**

No additional information available

# **National regulations**

No additional information available

### 15.3. US State regulations

Component	State or local regulations
Ethylene Glycol Monobutyl Ether(111-76-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Dipropylene Glycol Monoethyl Ether(34590-94-8)	U.S New Jersey - Right to Know Hazardous Substance List

07/14/2020 EN (English US) 7/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 03/21/2017

Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

07/14/2020 EN (English US) 8/8