

Synthetic Labs professional grade detergents & solutions Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Supersedes: 03/21/2017 Supersedes: 03/21/2017 Version: 1.1

| SECTION 1: Identification   |  |
|---|--|
| 1.1. Identification   |  |
| Product form  | : Mixture  |
| Trade name  | : Mixture<br>: Shower X  |
|   | : 1921   |
| Product code  | 1921   |
| 1.2. Recommended use and restriction  |  |
| Recommended use   | : Bathroom cleaner   |
| 1.3. Supplier   |  |
| Synthetic Labs<br>24 Victory Lane<br>Dracut, MA 01826 - United States<br>T 800.255.4050 - F 978.957.5122<br>www.syntecpro.com |  |
| 1.4. Emergency telephone number   |  |
| Emergency number  | : Infotrac 24 Hour Medical Emergency Number: 1-800-535-5053  |
| SECTION 2: Hazard(s) identification   | n  |
| 2.1. Classification of the substance or   | mixture  |
| GHS US classification   |  |
| Serious eye damage/eye irritation Category 2  | Causes serious eye irritation  |
| 2.2. GHS Label elements, including pre  | ecautionary statements   |
| GHS US labeling   |  |
| Hazard pictograms (GHS US)  |  |
| Signal word (GHS US)  | : Warning  |
| Hazard statements (GHS US)  | : Causes serious eye irritation  |
| Precautionary statements (GHS US)   | <ul> <li>Wash hands, forearms and face thoroughly after handling.</li> <li>Wear eye protection, protective gloves.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>If eye irritation persists: Get medical advice/attention.</li> </ul> |
| 2.3. Other hazards which do not result  | in classification  |
| No additional information available   |  |
| 2.4. Unknown acute toxicity (GHS US)  |  |
|   |  |

Not applicable

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

### Not applicable

3.2. **Mixtures** 

| Name                                    | Product identifier | %     | GHS US classification   |
|---|--------------------|-------|---|
| Ethylene Glycol Monobutyl Ether         | (CAS-No.) 111-76-2 | 1 – 5 | Flam. Liq. 4, H227<br>Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Inhalation:vapour),<br>H332<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319 |
| Tetrasodium ethylenediaminetetraacetate | (CAS-No.) 64-02-8  | 1 – 5 | Eye Dam. 1, H318  |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16 SECTION 4: First-aid measures **Description of first aid measures** 4.1. : Remove person to fresh air and keep comfortable for breathing. First-aid measures after inhalation First-aid measures after skin contact : Wash skin with plenty of water. First-aid measures after eye contact : Rinse eyes with water as a precaution. First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell. 4.2. Most important symptoms and effects (acute and delayed) 4.3. Immediate medical attention and special treatment, if necessary Treat symptomatically. **SECTION 5: Fire-fighting measures** Suitable (and unsuitable) extinguishing media 5.1. Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. 5.2. Specific hazards arising from the chemical Hazardous decomposition products in case of : Toxic fumes may be released. fire 5.3. Special protective equipment and precautions for fire-fighters Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel Emergency procedures : Ventilate spillage area. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". 62 **Environmental precautions** Avoid release to the environment. Methods and material for containment and cleaning up 6.3. Methods for cleaning up : Take up liquid spill into absorbent material. Other information : Dispose of materials or solid residues at an authorized site. 6.4. **Reference to other sections** For further information refer to section 13. **SECTION 7: Handling and storage** 7.1. Precautions for safe handling Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Hvaiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Store in a well-ventilated place. Keep cool. SECTION 8: Exposure controls/personal protection 8.1. **Control parameters** 

Shower X

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Tetrasodium ethylenediaminetetraacetate (64-02-8) |        |
|---|--------|
| No additional information available               |        |
| Ethylene Glycol Monobutyl Ether (111-76-2)        |        |
| USA - ACGIH - Occupational Exposure Limits        |        |
| ACGIH TWA (ppm)                                   | 20 ppm |

#### 8.2. Appropriate engineering controls

: Ensure good ventilation of the work station.

Appropriate engineering controls Environmental exposure controls

: Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

| Hand | protection: |
|------|-------------|
|------|-------------|

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



| SECTION 9: Physical and chemical properties     |                     |
|---|---------------------|
| 9.1. Information on basic physical and cher     | nical properties    |
| Physical state                                  | : Liquid            |
| Appearance                                      | : Liquid.           |
| Color   | : Yellow            |
| Odor  | : lemon-like        |
| Odor threshold                                  | : No data available |
| pH  | : 11                |
| pH solution                                     | : 11 – 11.5         |
| Melting point                                   | : Not applicable    |
| Freezing point                                  | : No data available |
| Boiling point                                   | : No data available |
| Flash point                                     | : No data available |
| Relative evaporation rate (butyl acetate=1)     | : No data available |
| Flammability (solid, gas)                       | : Not applicable.   |
| Vapor pressure                                  | : No data available |
| Relative vapor density at 20 °C                 | : No data available |
| Relative density                                | : No data available |
| Specific gravity / density                      | : 1.01 g/m³         |
| Molecular mass                                  | : 1.03 g/mol        |
| Solubility                                      | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature                       | : No data available |
| Decomposition temperature                       | : No data available |

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Viscosity, kinematic | : No data available |
|----------------------|---------------------|
| Viscosity, dynamic   | : No data available |
| Explosion limits     | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |

#### 9.2. Other information

No additional information available

| SECI    | ION 10: Stability and reactivity   |
|---------|--|
| 10.1.   | Reactivity   |
| The pro | oduct is non-reactive under normal conditions of use, storage and transport. |
| 10.2.   | Chemical stability   |
|         |  |
| Stable  | under normal conditions.   |
| Stable  | under normal conditions. Possibility of hazardous reactions                  |
| 10.3.   |  |
| 10.3.   | Possibility of hazardous reactions   |

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

| SECTION 11: Toxicological information      |                  |  |
|--|------------------|--|
| 11.1. Information on toxicological effects |                  |  |
| Acute toxicity (oral)                      | : Not classified |  |
| Acute toxicity (dermal)                    | : Not classified |  |
| Acute toxicity (inhalation)                | : Not classified |  |

| Tetrasodium ethylenediaminetetraacetate (6         | etrasodium ethylenediaminetetraacetate (64-02-8)   |       |
|--|--|-------|
| LD50 oral rat                                      | > 2000 mg/kg (Rat, Oral)   |       |
| Ethylene Glycol Monobutyl Ether (111-76-2)         |  |       |
| LD50 oral rat                                      | 1746 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value<br>Oral)                        | ıe,   |
| LD50 dermal rat                                    | > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, Rat, Male / female,<br>Experimental value, Dermal, 14 day(s)) |       |
| LC50 inhalation rat (ppm)                          | 450 ppm (Equivalent or similar to OECD 403, 4 h, Rat, Female, Experimental value, Inhala (vapours))                      | ition |
| Skin corrosion/irritation                          | Not classified   |       |
|  | pH: 11   |       |
| Serious eye damage/irritation                      | Causes serious eye irritation.   |       |
|  | pH: 11   |       |
| Respiratory or skin sensitization                  | Not classified   |       |
| Germ cell mutagenicity                             | Not classified   |       |
| Carcinogenicity                                    | Not classified   |       |
| Reproductive toxicity                              | Not classified   |       |
| Specific target organ toxicity – single exposure   | Not classified   |       |
| Specific target organ toxicity – repeated exposure | Not classified   |       |
| Aspiration hazard                                  | Not classified   |       |
| Viscosity, kinematic                               | No data available  |       |
| 07/14/2020   | N (English LIS)  | 4/6   |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. |
|--|
| acetate (64-02-8)  |
| 121 mg/l (96 h, Lepomis macrochirus, Literature study, Soft water)   |
| 625 mg/l (24 h, Daphnia magna, Literature study)   |
|  |

| LC50 fish 1    | 1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system,<br>Fresh water, Experimental value, Nominal concentration)    |
|----------------|---|
| EC50 Daphnia 1 | 1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration) |

### 12.2. Persistence and degradability

| Tetrasodium ethylenediaminetetraacetate (64-02-8) |   |
|---|---|
| Persistence and degradability                     | Not readily biodegradable in water.       |
| Biochemical oxygen demand (BOD)                   | < 0.002 g O <sub>2</sub> /g substance     |
| Chemical oxygen demand (COD)                      | 0.54 – 0.58 g O <sub>2</sub> /g substance |
| Ethylene Glycol Monobutyl Ether (111-76-2)        |   |
| Persistence and degradability                     | Readily biodegradable in water.           |

#### 12.3. Bioaccumulative potential

| Tetrasodium ethylenediaminetetraacetate (64     | sodium ethylenediaminetetraacetate (64-02-8) |  |
|---|--|--|
| Partition coefficient n-octanol/water (Log Pow) | -2.6   |  |
| Bioaccumulative potential                       | Not bioaccumulative.                         |  |
| Ethylene Glycol Monobutyl Ether (111-76-2)      |  |  |
| Partition coefficient n-octanol/water (Log Pow) | 0.81 (Test data, 20 °C)                      |  |
|   |  |  |

#### 12.4. Mobility in soil

| Ethylene Glycol Monobutyl Ether (111-76-2) |                                       |
|--|---------------------------------------|
| Surface tension                            | 65.03 mN/m (20 °C, 2 g/l)             |
| Ecology - soil                             | Low potential for adsorption in soil. |

#### 12.5. Other adverse effects

No additional information available

| SECTION 13: Disposal considerations  |   |  |
|--------------------------------------|---|--|
| 13.1. Disposal methods               |   |  |
| Waste treatment methods              | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |  |
| <b>SECTION 14: Transport informa</b> | ation   |  |
| Department of Transportation (DOT)   |   |  |
| In accordance with DOT               |   |  |
|                                      |   |  |

Not applicable

#### **Transportation of Dangerous Goods**

Not applicable

#### Transport by sea

#### Not applicable

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Air transport

Not applicable

| SECTION 15: Regulatory information  |  |  |
|---|--|--|
| 5.1. US Federal regulations   |  |  |
| Tetrasodium ethylenediaminetetraacetate (64-02-8)                         |  |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |  |
| Ethylene Glycol Monobutyl Ether (111-76-2)                                |  |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |  |
| 15.2. International regulations   |  |  |
| ANADA   |  |  |
| Tetrasodium ethylenediaminetetraacetate (64-02-8)                         |  |  |

|   | Tetrasodium ethylenediaminetetraacetate (64-02-8)     |  |
|---|---|--|
|   | Listed on the Canadian DSL (Domestic Substances List) |  |
|   | Ethylene Glycol Monobutyl Ether (111-76-2)            |  |
|   | Listed on the Canadian DSL (Domestic Substances List) |  |
| EU-Regulations  |   |  |
| N a second de la constante de la constant |   |  |

No additional information available National regulations No additional information available

#### 15.3. US State regulations

| Component                                 | State or local regulations   |
|---|--|
| Ethylene Glycol Monobutyl Ether(111-76-2) | U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List |

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Revision date | : 03/21/2017  |
|---------------|---|
| Hazard Rating |   |
| Health        | : 1 Slight Hazard - Irritation or minor reversible injury possible  |
| Flammability  | : 0 Minimal Hazard - Materials that will not burn   |
| Physical      | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. |

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.