

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : Patriot Chemical® Master Task
Product code : 2568

1.2. Recommended use and restrictions on use

Recommended use : Laundry, Detergent

1.3. Supplier

Synthetic Labs
24 Victory Lane
Dracut, MA 01826 - United States
T 800.255.4050 - F 978.957.5122
www.syntecpro.com

1.4. Emergency telephone number

Emergency number : Infotrac 24 Hour Medical Emergency Number: 1-800-535-5053

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

| | |
|---|---|
| Skin corrosion/irritation Category 1A | Causes severe skin burns and eye damage |
| Serious eye damage/eye irritation Category 1 | Causes serious eye damage |
| Specific target organ toxicity (single exposure) Category 3 | May cause respiratory irritation |

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

Causes severe skin burns and eye damage
Causes serious eye damage
May cause respiratory irritation

Precautionary statements (GHS US) :

Do not breathe mist, spray, vapors.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash hands, forearms and face thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear eye protection, protective gloves.
If swallowed: rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center or doctor.
Call a poison center or doctor if you feel unwell.
Specific treatment (see supplemental first aid instruction on this label).
Wash contaminated clothing before reuse.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

Patriot Chemical® Master Task

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|--------------------------------------|----------------------|---------|--|
| Disodium Metasilicate | (CAS-No.) 6834-92-0 | 20 – 30 | Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1, H314 Eye Dam. 1, H318 STOT SE 3, H335 |
| Nitriolriacetic acid, trisodium salt | (CAS-No.) 5064-31-3 | 5 – 10 | Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Carc. 2, H351 |
| Alcohols, Ehoxylated | (CAS-No.) 68439-46-3 | 5 – 10 | Acute Tox. 4 (Oral), H302 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Call a physician immediately.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
- First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after inhalation : May cause respiratory irritation.
- Symptoms/effects after skin contact : Burns.
- Symptoms/effects after eye contact : Serious damage to eyes.
- Symptoms/effects after ingestion : Burns.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Patriot Chemical® Master Task

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Mechanically recover the product.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| | |
|--|---------------------|
| Patriot Chemical® Master Task | |
| No additional information available | |
| Disodium Metasilicate (6834-92-0) | |
| No additional information available | |
| Nitrilotriacetic acid, trisodium salt (5064-31-3) | |
| No additional information available | |
| Alcohols, Ehoxylated (68439-46-3) | |
| USA - ACGIH - Occupational Exposure Limits | |
| ACGIH TWA (ppm) | 1 ppm |
| USA - OSHA - Occupational Exposure Limits | |
| OSHA PEL (TWA) (ppm) | 1 ppm |
| OSHA PEL (STEL) (ppm) | 5 ppm |
| USA - NIOSH - Occupational Exposure Limits | |
| NIOSH REL (TWA) (ppm) | 5 ppm |
| NIOSH REL (ceiling) (mg/m ³) | 9 mg/m ³ |

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):

Patriot Chemical® Master Task

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Solid |
| Appearance | : Powder. |
| Color | : white |
| Odor | : odorless |
| Odor threshold | : No data available |
| pH | : No data available |
| pH solution | : 11.5 – 12.5 |
| Melting point | : No data available |
| Freezing point | : Not applicable |
| Boiling point | : No data available |
| Flash point | : Not applicable |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : Non flammable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : Not applicable |
| Solubility | : Soluble in water. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : Not applicable |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Patriot Chemical® Master Task

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Disodium Metasilicate (6834-92-0) | |
|--|---|
| LD50 oral rat | 1152 – 1349 mg/kg body weight (Rat, Male / female, Experimental value, Oral) |
| LD50 dermal rat | > 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) |
| LC50 inhalation rat (mg/l) | > 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s)) |

| Nitrilolriacetic acid, trisodium salt (5064-31-3) | |
|--|---|
| LD50 oral rat | 1740 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 2000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal) |
| LC50 inhalation rat (mg/l) | > 5 mg/l (4 h, Rat, Male, Experimental value, Inhalation (aerosol), 14 day(s)) |

| Alcohols, Ehoxylated (68439-46-3) | |
|--|-------------------------------|
| LD50 oral rat | 1378 mg/kg (Rat, Oral) |
| LD50 dermal rabbit | > 2000 mg/kg (Rabbit, Dermal) |

Skin corrosion/irritation : Causes severe skin burns.
Serious eye damage/irritation : Causes serious eye damage.
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified.

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : May cause respiratory irritation.

| Disodium Metasilicate (6834-92-0) | |
|--|-----------------------------------|
| Specific target organ toxicity – single exposure | May cause respiratory irritation. |

Specific target organ toxicity – repeated exposure : Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Symptoms/effects after inhalation : May cause respiratory irritation.
Symptoms/effects after skin contact : Burns.
Symptoms/effects after eye contact : Serious damage to eyes.
Symptoms/effects after ingestion : Burns.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

| Disodium Metasilicate (6834-92-0) | |
|--|---|
| LC50 fish 1 | 210 mg/l (ISO 7346-1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value) |
| EC50 Daphnia 1 | 1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |

| Nitrilolriacetic acid, trisodium salt (5064-31-3) | |
|--|--|
| LC50 fish 1 | 114 mg/l (APHA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) |
| EC50 Daphnia 1 | 98 mg/l (96 h, Gammarus sp., Flow-through system, Fresh water, Experimental value) |

Patriot Chemical® Master Task

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***

Nitrilotriacetic acid, trisodium salt (5064-31-3)

| | |
|---------------|--|
| ErC50 (algae) | > 91.5 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodium subspicatus, Static system, Fresh water, Experimental value, GLP) |
|---------------|--|

12.2. Persistence and degradability

Disodium Metasilicate (6834-92-0)

| | |
|-------------------------------|-----------------------------------|
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable |
| ThOD | Not applicable |
| BOD (% of ThOD) | Not applicable |

Nitrilotriacetic acid, trisodium salt (5064-31-3)

| | |
|-------------------------------|--|
| Persistence and degradability | Biodegradable in the soil. Readily biodegradable in water. |
| Chemical oxygen demand (COD) | 0.625 g O ₂ /g substance |

Alcohols, Etoxylated (68439-46-3)

| | |
|-------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |
|-------------------------------|---------------------------------|

12.3. Bioaccumulative potential

Disodium Metasilicate (6834-92-0)

| | |
|---------------------------|----------------------------------|
| Bioaccumulative potential | Bioaccumulation: not applicable. |
|---------------------------|----------------------------------|

Nitrilotriacetic acid, trisodium salt (5064-31-3)

| | |
|---|--|
| BCF fish 1 | 1 – 3 (96 h, Brachydanio rerio, Fresh water, Experimental value) |
| Partition coefficient n-octanol/water (Log Pow) | -13.2 – -2.62 (Calculated, 25 °C) |
| Bioaccumulative potential | Not bioaccumulative. |

Alcohols, Etoxylated (68439-46-3)

| | |
|---------------------------|------------------------------------|
| Bioaccumulative potential | No bioaccumulation data available. |
|---------------------------|------------------------------------|

12.4. Mobility in soil

Disodium Metasilicate (6834-92-0)

| | |
|----------------|---|
| Ecology - soil | No (test)data on mobility of the substance available. |
|----------------|---|

Nitrilotriacetic acid, trisodium salt (5064-31-3)

| | |
|---|--|
| Partition coefficient n-octanol/water (Log Koc) | 1.419 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil | Highly mobile in soil. |

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Patriot Chemical® Master Task

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

| | |
|---|---|
| Disodium Metasilicate (6834-92-0) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Nitrilotriacetic acid, trisodium salt (5064-31-3) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Alcohols, Ehoxylated (68439-46-3) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| EPA TSCA Regulatory Flag | XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711). |

15.2. International regulations

CANADA

| | |
|--|--|
| Disodium Metasilicate (6834-92-0) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| Nitrilotriacetic acid, trisodium salt (5064-31-3) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| Alcohols, Ehoxylated (68439-46-3) | |
| Listed on the Canadian DSL (Domestic Substances List) | |

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 03/21/2017

Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.