

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/09/2017 Revision date: 04/08/2019 Supersedes: 03/21/2017 Version: 1.3

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Trade name	: Patriot Chemical® Powdered Laundry Detergent
Product code	: 2574
1.2. Recommended use and restrictions	on use
Recommended use	: Laundry, Detergent
1.3. Supplier	
Synthetic Labs 24 Victory Lane Dracut, MA 01826 - United States T 800.255.4050 - F 978.957.5122 www.syntecpro.com	
1.4. Emergency telephone number	
Emergency number	: Infotrac 24 Hour Medical Emergency Number: 1-800-535-5053
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	ixture
GHS US classification	
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1	Causes skin irritation Causes serious eye damage
2.2. GHS Label elements, including preca	autionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	Causes skin irritation Causes serious eye damage
Precautionary statements (GHS US)	 Wash hands, forearms and face thoroughly after handling. Wear eye protection, protective gloves. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. Specific treatment (see supplemental first aid instruction on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
2.3. Other hazards which do not result in	classification
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
Not applicable	
SECTION 3: Composition/Information	n on ingredients
3.1. Substances	
Not applicable	
3.2. Mixtures	
V.L. MIALUIGS	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Disodium Metasilicate	(CAS-No.) 6834-92-0	1 – 5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measure	es
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and	effects (acute and delayed)
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.
4.3. Immediate medical attention ar	nd special treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measured	res
5.1. Suitable (and unsuitable) exting	guishing media
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Specific hazards arising from t	he chemical
Hazardous decomposition products in cas fire	e of : Toxic fumes may be released.
5.3. Special protective equipment a	nd precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release r	neasures
6.1. Personal precautions, protectiv	ve equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	 Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for conta	inment and cleaning up
Methods for cleaning up	: Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	ye
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.
SECTION 8: Exposure controls/per	rsonal protection
8.1. Control parameters	
Patriot Chemical® Powdered Laundry D	etergent
No additional information available	
Disodium Metasilicate (6834-92-0)	
No additional information available	
8.2. Appropriate engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.
8.3. Individual protection measures/Po	ersonal protective equipment
Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suita	ible respiratory equipment
Personal protective equipment symbol(s)	:
SECTION 9: Physical and chemica	I properties

9.1. Information on basic physical a	nd chemical properties
Physical state	: Solid
Appearance	: Powder.
Color	: white
Odor	: odorless
Odor threshold	: No data available
рН	: No data available
pH solution	: 11.5 – 12.5
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: Not applicable
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity		
10.1.	Reactivity	
The product is non-reactive under normal conditions of use, storage and transport.		
10.2.	Chemical stability	

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	on
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Disodium Metasilicate (6834-92-0)	
LD50 oral rat	1152 – 1349 mg/kg body weight (Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	> 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	> 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Disodium Metasilicate (6834-92-0)	

Disodium Metasilicate (6834-92-0)	
Specific target organ toxicity – single exposure	May cause respiratory irritation.
Specific target organ toxicity – repeated : exposure	Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.	
Disodium Metasilicate (6834-92-0)		
LC50 fish 1	210 mg/l (ISO 7346-1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value)	
EC50 Daphnia 1	1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
2.2. Persistence and degradability		
Disodium Metasilicate (6834-92-0)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
12.3. Bioaccumulative potential		
Disodium Metasilicate (6834-92-0)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
12.4. Mobility in soil		
Disodium Metasilicate (6834-92-0)		
Ecology - soil	No (test)data on mobility of the substance available.	
12.5. Other adverse effects		

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
SECTION 14: Transport information			

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information	
15.1. US Federal regulations	
Disodium Metasilicate (6834	92-0)
Listed on the United States TS	CA (Toxic Substances Control Act) inventory
15.2. International regulations	
CANADA	
Disodium Metasilicate (6834	92-0)
Listed on the Canadian DSL (Domestic Substances List)	
EU-Regulations No additional information available National regulations No additional information available	
15.3. US State regulations	
No additional information available	3
SECTION 16: Other inform	nation
according to Federal Register / Vol. 77	, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Revision date	: 04/08/2019
Hazard Rating Health	: 2 Moderate Hazard - Temporary or minor injury may occur

SDS US (GHS HazCom 2012)

Flammability

Physical

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

: 0 Minimal Hazard - Materials that will not burn

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.